

**IN THE UNITED STATES DISTRICT COURT
FOR THE SOUTHERN DISTRICT OF WEST VIRGINIA
CHARLESTON DIVISION**

IN RE: ETHICON, INC. PELVIC REPAIR
SYSTEMS PRODUCTS LIABILITY
LITIGATION

Master File No. 2:12-MD-02327
MDL 2327

ETHICON WAVE 5 CASES LISTED IN
PLAINTIFFS' EXHIBIT A

JOSEPH R. GOODWIN U.S. DISTRICT
JUDGE

**NOTICE OF ADOPTION OF PRIOR DAUBERT RESPONSE REGARDING
SARAH A. COLLINS, M.D. FOR WAVE 5**

Defendants Ethicon, Inc., Ethicon LLC, and Johnson & Johnson (collectively "Ethicon") hereby adopt and incorporate by reference the *Daubert* response in relation to Dr. Sarah A. Collins filed by Ethicon in Wave 4, Dkt. 3737. Ethicon respectfully requests that the Court deny Plaintiffs' motion, for the reasons expressed in its Wave 4 response briefing.

Respectfully submitted,

/s/Christy D. Jones

Christy D. Jones
Butler Snow LLP
1020 Highland Colony Parkway
Suite 1400 (39157)
P.O. Box 6010
Ridgeland, MS 39158-6010
(601) 985-4523
christy.jones@butlersnow.com

/s/ David B. Thomas

David B. Thomas (W.Va. Bar #3731)
Thomas Combs & Spann PLLC
300 Summers Street
Suite 1380 (25301)
P.O. Box 3824
Charleston, WV 25338
(304) 414-1807
dthomas@tcspllc.com

COUNSEL FOR DEFENDANTS
ETHICON, INC., ETHICON LLC, AND
JOHNSON & JOHNSON

CERTIFICATE OF SERVICE

I hereby certify that on this date I electronically filed the foregoing document with the Clerk of the Court using the CM/ECF system which will send notification of such filing to the CM/ECF participants registered to receive service in this MDL.

/s/ Christy D. Jones

Christy D. Jones
Butler Snow LLP
1020 Highland Colony Parkway
Suite 1400 (39157)
P.O. Box 6010
Ridgeland, MS 39158-6010
(601) 985-4523
christy.jones@butlersnow.com